1 Identification

- Product identifier
- Trade name: Armor PolyJoint 90 B
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Concrete Polishing Solutions

184 Cedar Place

Norris, TN 37828

www.go2cps.com

1 (877) 472-8200

- · Information department: Product safety department
- Emergency telephone number:

Infotech (24 Hours) USA 1-800-535-5053 / International 1-352-323-3500 USE ONLY FOR HAZARDOUS MATERIALS OR DANGEROUS GOODS INCIDENT - SPILLS, LEAKS, FIRE, EXPOSURE, OR ACCIDENT CN109479

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

- · Label elements
- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Warning
- · Hazard-determining components of labeling:

titanium dioxide

- · Hazard statements
- · Suspected of causing cancer.
- · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

· Classification system:

NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
13463-67-7 titanium dioxide	2-4%
1333-86-4 Carbon black	0.4-0.7%

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

___U

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

1 Total Control		1
PAC-1:		
13463-67-7	titanium dioxide	30 mg/m^3
1333-86-4	Carbon black	9 mg/m ³
PAC-2:		
13463-67-7	titanium dioxide	330 mg/m ³
1333-86-4	Carbon black	99 mg/m³
PAC-3:		
13463-67-7	titanium dioxide	2,000 mg/m ²
1333-86-4	Carbon black	590 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

1333-	86-4	Carbon	black

PEL Long-term value: 3.5 mg/m3

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

REL Long-term value: 3.5* mg/m3 *0.1 in presence of PAHs; See Pocket Guide Apps.A+C

TLV Long-term value: 3* mg/m3 *inhalable fraction

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment: Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Color:

According to product specification

· Odor:

Amine-like

· Odor threshold:

Not determined.

pH-value:

Not determined.

· Change in condition

Undetermined.

Melting point/Melting range: Boiling point/Boiling range:

130 °C (266 °F)

· Flash point:

110 °C (230 °F)

(Contd. on page 5)

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

	(Contd. of pag
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure:	Not determined.
Density: Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	tter): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Acute toxicity.	
LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	•
Inhalative LC50/4 h >171-341 mg/l (rat)	

121/2	17 7	titanium	Ji i J -
13463	h /-/	mannin	movine

13463-0	57-7 titaniu	m dioxide	
Oral	LD50	>20,000 mg/kg (rat)	
			(Contd. on page 6)

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

			(Contd. of page 5
Dermal	LD50	>10,000 mg/kg (rabbit)	All Control
Inhalativ	e LC50/4 h	>6.82 mg/l (rat)	
1333-86-	4 Carbon b	lack	
Oral	LD50	10,000 mg/kg (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

1333-86-4 Carbon black NTP (National Toxicology Program) None of the ingredients is listed. OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	2E
OSHA Co (Occupational Safety & Health Administration)	
OSHA-Ca (Occupational Sujety & Health Authinistration)	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

(Contd. of page 6)

UN-Number DOT, ADN, IMDG, IATA	not regulated	
	not regulated	
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- · Chemicals known to cause cancer:

All ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

13463-67-7 titanium dioxide

A4

(Contd. on page 8)

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

(Contd. of page 7)

1333-86-4 Carbon black

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

All ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

titanium dioxide

· Hazard statements

Suspected of causing cancer.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Swanson
- Date of preparation / last revision 06/24/2022 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 9)

Printing date 06/24/2022

Reviewed on 06/24/2022

Trade name: Armor PolyJoint 90 B

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Carc. 2: Carcinogenicity – Category 2

(Contd. of page 8)