

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

1 Identification

- **Product identifier**
- **Trade name:** Armor Spall & Grout B
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Concrete Polishing Solutions
184 Cedar Place
Norris, TN 37828
www.go2cps.com
1 (877) 472-8200
- **Information department:** Product safety department
- **Emergency telephone number:**
Infotech (24 Hours) USA 1-800-535-5053 / International 1-352-323-3500 **USE ONLY FOR HAZARDOUS MATERIALS OR DANGEROUS GOODS INCIDENT - SPILLS, LEAKS, FIRE, EXPOSURE, OR ACCIDENT**
CN109479

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

Flam. Liq. 4 H227 Combustible liquid.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
Distillates (petroleum), hydrotreated light
Solvent naphta (petroleum) heavy aliph.
- **Hazard statements**
Combustible liquid.
May be fatal if swallowed and enters airways.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep away from flames and hot surfaces. – No smoking.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Do NOT induce vomiting.
In case of fire: Use for extinction: CO2, powder or water spray.

(Contd. on page 2)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: **Armor Spall & Grout B**

(Contd. of page 1)

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 2

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 0

Fire = 2

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

64742-47-8	Distillates (petroleum), hydrotreated light	10-25%
64742-96-7	Solvent naphta (petroleum) heavy aliph.	10-25%

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: *Armor Spall & Grout B*

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:**
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.*
- **Reference to other sections**
*See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*
- **Protective Action Criteria for Chemicals**

· PAC-1:
<i>None of the ingredients is listed.</i>

· PAC-2:
<i>None of the ingredients is listed.</i>

· PAC-3:
<i>None of the ingredients is listed.</i>

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** *No special precautions are necessary if used correctly.*
- **Information about protection against explosions and fires:** *Keep ignition sources away - Do not smoke.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:** *Keep receptacle tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** *The lists that were valid during the creation were used as basis.*

(Contd. on page 4)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: *Armor Spall & Grout B*

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- | | |
|--|------------------------------|
| · Information on basic physical and chemical properties | |
| · General Information | |
| · Appearance: | |
| Form: | Liquid |
| Color: | Amber colored |
| Odor: | slight odour |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| · Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 200 °C (392 °F) |
| Flash point: | 61 °C (141.8 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 210 °C (410 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Not determined. |

(Contd. on page 5)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: *Armor Spall & Grout B*

(Contd. of page 4)

· Explosion limits:	
Lower:	0.5 Vol %
Upper:	6.5 Vol %
· Vapor pressure at 20 °C (68 °F):	2 hPa (1.5 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	50-80 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
- None of the ingredients is listed.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: **Armor Spall & Grout B**

(Contd. of page 5)

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|-------------------------------------|------------------------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | <i>not regulated</i> |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | <i>not regulated</i> |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | <i>not regulated</i> |
| · Packing group | |
| · DOT, IMDG, IATA | <i>not regulated</i> |
| · Environmental hazards: | <i>Not applicable.</i> |

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: **Armor Spall & Grout B**

(Contd. of page 6)

- | | |
|--|------------------------|
| <i>· Special precautions for user</i> | <i>Not applicable.</i> |
| <i>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</i> | <i>Not applicable.</i> |
| <i>· UN "Model Regulation":</i> | <i>not regulated</i> |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture*
- Sara*

- Section 355 (extremely hazardous substances):*

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):*

None of the ingredients is listed.

- TSCA (Toxic Substances Control Act):*

All ingredients are listed.

- Proposition 65*

- Chemicals known to cause cancer:*

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:*

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for males:*

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:*

None of the ingredients is listed.

- Carcinogenic categories*

- EPA (Environmental Protection Agency)*

None of the ingredients is listed.

- TLV (Threshold Limit Value established by ACGIH)*

None of the ingredients is listed.

- NIOSH-Ca (National Institute for Occupational Safety and Health)*

None of the ingredients is listed.

- GHS label elements*

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms*



GHS08

- Signal word Danger*

(Contd. on page 8)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/09/2022

Reviewed on 02/09/2022

Trade name: Armor Spall & Grout B

(Contd. of page 7)

- **Hazard-determining components of labeling:**
*Distillates (petroleum), hydrotreated light
 Solvent naphtha (petroleum) heavy aliph.*
- **Hazard statements**
*Combustible liquid.
 May be fatal if swallowed and enters airways.*
- **Precautionary statements**
*If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Keep away from flames and hot surfaces. – No smoking.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Immediately call a poison center/doctor.
 Do NOT induce vomiting.
 In case of fire: Use for extinction: CO₂, powder or water spray.
 Store in a well-ventilated place. Keep cool.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** *Environment protection department.*
- **Contact:** *Mr. Swanson*
- **Date of preparation / last revision** *02/09/2022 / -*
- **Abbreviations and acronyms:**
*IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety
 OSHA: Occupational Safety & Health
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Flam. Liq. 4: Flammable liquids – Category 4
 Asp. Tox. 1: Aspiration hazard – Category 1*

US